

THE SUPERIOR "GO ANYWHERE" RAMP



www.rollaramp.com



Surface Mount
Brackets



Introducing **ROLL-A-RAMP®**

- Innovative ramp from Roll-A-Ramp®
- Lightweight & Strong - 8'x12" sections weighs only 25 lbs - supports 2,000 lbs/pair
- Versatile - ATVs, Tractors, Construction Equipment, virtually anything
- Stage Audio Industry
- Sturdy Construction - Made from Aircraft Quality 6061 Aluminum - Simply the finest materials available.
- Never have the wrong size ramp - just change it by adding links. Multiple ramps in one.
- Simply the most versatile ramp on the market - 12", 30" & 36" widths made to any length needed. Really.
- American made by a Service-Disabled Veteran Owned Company.



*"Where
Strength
and Flexibility
Meet"*



ROLL-A-RAMP®
Where Strength and Flexibility Meet

Call us for a FREE DVD!



**Dealership
Opportunities**

CALL 866-883-4722

Welcome To Affordable Mini-Van Access

MiniFold™

No van conversions needed with this innovative system from Roll-A-Ramp®. Simply nothing like it on the market. Install the MiniFold™ automatic ramp into your existing or new van and spare the cost of a lowered floor conversion. Superior quality Roll-A-Ramp® Qualifies for vehicle manufacturers' \$1,000 rebate for installation of adaptive equipment into new vans.

- NO VEHICLE CONVERSION NEEDED - Use Your Existing Van or Purchase New Standard Van
- Thousands Of Dollars Less Than Conversions
- Supports An Amazing 1,000 lbs! Constructed Of Aircraft-Quality Anodized Aluminum – 6' x 26"*
- Ramp Unfolds Automatically - Remote Control Access
- May Also Be Used Manually - NEVER BE STRANDED
- Installs In Side Door – about 4 hrs
- Can Be Installed In Most Mini-Vans*
- Ideal for pediatric applications



Regain Your Freedom!

Call About
Lease-to-Own
Financing



ROLL-A-RAMP®
Where Strength and Flexibility Meet

Powered Ramp for Mini-Vans Affordable Mini-Van Access



NO CONVERSIONS



Bracket Secures Ramp to C-Pillar

* Minimum Vehicle Requirements:

Before making vehicle or ramp purchase consult local Roll-A-Ramp dealer for evaluation

- 29" MINIMUM door clearance & fairly flat floor surface – 28" overall system
- 25" usable ramp surface - measure your wheel base.
- **Typical Applications:** Dodge/Chrysler, Chevy, Ford (excl. FreeStar with power door), Honda
- **Fits Stow-N-Go Seating** (Not recommended for Toyota Sienna)



Ramp Unfolds Automatically With the Touch of a Button

Roll-A-Ramp® Accessories

Additional Links

Quickly and easily add length to any Roll-A-Ramp® in 1 foot increments, using the tools provided with the ramp. Sections are completely assembled ready to put on. Your ramp never becomes obsolete & is a lifetime system. Use with Positive Lock Pins™ to quickly separate ramp into smaller sections.

- #31122 1 foot of 12" Links
sold as pairs
- #31262 1 foot of 26" Links
- #31302 1 foot of 30" Links



Positive Lock Pins

Positive Lock Pins™ can be used to replace the special bolts holding all Roll-A-Ramp® links together. Simply put any place there is a yellow cover. Recommended with any ramp length, popular also for home modular systems. Simply separate off a short piece of the ramp for use as a portable ramp, then quickly put back on making it a full system again! The easily removed pins allow any Roll-A-Ramp® to fit your exact needs.



- #3250 Positive Lock Pins
Sold as each

Center Support Stands

Recommended for ramp lengths over 12 feet. Easily mounted to the side rails from underneath, they add stability to your Roll-A-Ramp® when a longer ramp is needed or required. Simply lift ramp from lower base of stand leaving upper piece attached for portability. Ramp can still be rolled up.



- #3612 Center Support Stands

Seg Mount Brackets

This pair of brackets allow for easy mounting to any landing surface. The ramp's approach plate simply slips in & removes in seconds. Brackets not necessary for all applications & are optional. Using these your ramp can be installed to be level with the surface of your landing.



- #3150 Seg Mount Bracket

Pickup Tailgate Brackets

Brackets easily rivet or screw to tailgate, any surface where you need a little extra holding power. Popular for loading into pickups. Low profile does not interfere with normal use.



- #3415 Pickup Tailgate Bracket

Approach Plates

Order extra plates for when you want to separate a ramp into shorter sections. This allows you to have 2 or more complete ramp systems. Longer home modular systems can have a short piece removed for a portable ramp, and then put back on to once again have a full system.

- #A45237-12 12" pair of Approach Plates
- #A45237-26 26" Approach Plate
- #A45237-30 30" Approach Plate



Low Van Entry Plate

These special approach plates replace the standard ones, are load bearing and designed for use when you need to place the end of the ramp directly on the landing surface; threshold, van sill, etc. Helps to maximize the usable ramp length and also give the most clearance for vans.

- #3212 12" pair of Low Van Entry Plates
- #3226 26" Low Van Entry Plate
- #3235 30" Low Van Entry Plate



26" Approach Plate for a 30" Ramp

Load bearing upper Approach Plate replacement allows a 30" Roll-A-Ramp® to fit a 26" opening. The safety fence guides the chair through the door.

- #3220 26" Approach Plate for 30" ramps



Roll-A-Ramp®

601 West Main Ave. West Fargo, ND 58078
701-277-9471 866-883-4722 Fax 701-277-7283
www.rollaramp.com



ROLL-A-RAMP
Where Strength and Flexibility Meet

ALL RAMPS ARE BI-FOLDED FOR VEHICLE MOUNTED APPLICATIONS

Bi-Fold Systems are the same superior quality Roll-A-Ramp® used in a bi-fold fashion.

Compatible for most full size or mini-van applications.

Manual Bi-Fold Systems

No conversions or vehicle modifications needed. May use your existing vehicle. Easily operated economical alternative to conversions. Complete system includes mounting bracket, ramp and wheeled lower entry plate. Ramp easily removes for use as a portable ramp.

#AFM Full Size Manual
Bi-Fold System 30"

#MFM Mini-Van Manual
Bi-Fold System 26"



12" Universal Van Mount Brackets

Used for mounting the 12" Roll-A-Ramp® pair set into the side door of most vans. Brackets bolt to floor, and ramps may be quickly removed with the Positive Lock Pins® included.


Order #3224 (Universal)
#3124 (Full-Size Van)



Spacers

Spacers are used with the 12" pair. Spacers provide security by getting the ramp width the same. Spacers easily snap into place on the ramp's safety rails.

The Spacers are sold as each
#3380 8" wide Spacer
#3350 5" wide Spacer
#3320 2" wide Spacer



Bariatric Ramp System™

The exploding Bariatric market is increasing the demand for stronger products. Today's wheelchairs are getting much heavier creating the need for a stronger ramp. Roll-A-Ramp® is the DME solution to the Bariatric market.

The OmegaTrac™ & Heavy Off Road style chairs require the Roll-A-Ramp®. The 12" Pair system supports 2,000 lbs. of distributed weight & each 8 foot section weighs only 25 lbs!

Sturdy enough to handle years of rugged use in Bariatric & rough use industrial applications.



The Roll-A-Ramp® design easily supports itself on its edge while you roll it up.



You do not need to hold or balance the ramp as you get it ready to be placed or put into storage!

No other portable ramp is as easy to handle.



Roll-A-Ramp®
601 West Main Ave. West Fargo, ND 58078
701-277-9471 866-883-4722 Fax 701-277-7283
www.rollaramp.com

